PROCEEDINGS OF THE PREBID MEETING HELD ON 23.07.2025 AT 3.00 PM IN OFFICE OF CHIEF ENGINEER & CHIEF GENERAL MANAGER (Tech) BSWML FOR THE BIDS INVITED THROUGH NOTIFICATION NO:DGM-1/BSWML/TEND/06/2025-26 DATED: 17.07.2025.

OFFICER'S PRESENT:

1	Chief Engineer& Chief General Manager (Tech) BSWML	Sri Lokesh M
2	Deputy General Manager-1 BSWML	Sri. Chandrashekar A G
3	Assistant General Manager, BSWML	Sri. Santhoshkumar Kaddi
4	Assistant Manager, BSWML	Sri. Neelesh Kumar

AGENCIES PRESENT:

1	M/s. ARV Environment Conservation Care Ltd.
2	M/s. Mailhem Environment Pvt. Ltd.
3	M/s. SLN Cleanin & Services.
4	M/s. MSGP Infra Tech Pvt. Ltd.

****

Chief Engineer& Chief General Manager (Tech) BSWML welcomed all the officials and the representatives of the agencies/ firms for below works for which pre-Bid meeting was called. Representatives of various companies as above were present in the said pre bid meeting.

The queries/clarifications sought by the agencies with regard to bids invited, were received in writing / e-mail & through KPP portal. The clarifications are issued according to the tenders invited as under: -

SUBJECT-1: "Operation and Maintenance of 150 TPD wet waste processing plant located at Doddabiderakallu Call-2"

Sl. No	Tender Doc Ref	Query Raised	Clarifications /Amendments issued
	1. M/s. MSGP INFRA TECH PVT. LTD.		
1	Page No: 20 DATA SHEET	We request that you kindly clarify whether this difference amount is to be calculated for	Tender Conditions prevail.

Sl. No	Tender Doc Ref	Query Raised	Clarifications /Amendments issued
	Note 2: If bidder quote tender price below the contract value, should pay difference amount in the form of BG, Fixed Deposit/DD drawn in favor MD, BSWML.	the entire 24-month contract period. If so, we request that you kindly consider limiting this requirement to 12 months to reduce the financial burden on the bidder and improve participation.	
2	Page No: 35 SECTION 5. TERMS OF REFERENCE 3. AN OUTLINE OF THE TASKS TO BE CARRIED OUT The task assigned to the selected bidder is to receive the wet waste at plant, process it and dispose the inert as stated in the procedures below of capacity of (80% of estimated requirement)	We request clarification regarding the responsibility for the disposal of Inert materials & Reject materials (RDF) generated from the processing activities. Kindly specify who is responsible for their disposal, and outline the approved procedure for the same.	Tender Conditions prevail.
3	Page No: 35 SECTION 5. TERMS OF REFERENCE 3. AN OUTLINE OF THE TASKS TO BE CARRIED OUT The inward quantity of the waste at processing plant recorded by weigh bridge shall be considered as actual. It is to be noted that upto 125% of the	This query was previously raised in Call 1 and is being re-submitted in Call 2 for your kind consideration. BSWML should ensure that, since the tender is based on a cost-per-ton model, payments are made accordingly—irrespective of any increase or decrease in the actual quantity supplied. The bidder is required to deploy the necessary manpower, vehicles, equipment, and other resources to process 150 TPD. Therefore, if the quantity	Tender Conditions prevail.

Sl. No	Tender Doc Ref	Query Raised	Clarifications /Amendments issued
	input quantity incoming as prescribed quantity shall be processed by bidder as per accepted rate of proposal. If the inward quantity is less than the prescribed quantity of plant, the same shall be processed & payment shall be done to selected bidder as per the actual quantity received at plant.	supplied exceeds 150 TPD, payment should be made for the additional quantity, as it involves proportionate additional effort. Conversely, if the quantity supplied falls below the stipulated 150 TPD, it remains BSWML's responsibility to ensure the supply of the committed quantity. However, since the plant is designed and operated for 150 TPD, the bidder should still be compensated for a minimum of 150 TPD, regardless of any lesser quantity being supplied. This approach has been followed in tenders issued by the Directorate of Municipal Administration, Government of Karnataka, for Operation and Maintenance projects, and we request that the same be adopted here to ensure consistency and accountability across MSWM projects.	
4	Page No. 35,36 The leachate generated in the plant shall be transported/supplied through existing drain network to the collection sump & same shall be treated in the existing Leachate Treatment Plant (LTP) to the possible extent and any additional quantity to be transported to designated site using vehicles as specified.	Kindly provide the details of the Existing Leachate Treatment Plant-Doddabidarukallu, like Capacity and technology etc. Since there is a Leachate Treatment Plant (LTP) available at the project site, we request you to kindly specify: • The designated location where the leachate is to be transported in the absence of farmer demand,	Tender Conditions prevail.

Sl. No	Tender Doc Ref	Query Raised	Clarifications /Amendments issued
	If farmers are requesting/demand for Fermented liquid organic manure (FLOM) then farmer's RTC and request letters to be taken for the records. FLOM shall be transported scientifically with the approval of competent authority	• Who shall be responsible for arranging transportation/logistics to the LTP or designated area, and • If the cost of transportation and handling of leachate is to be borne by the bidder, kindly clarify whether the same will be reimbursed by the authority.	
5	Page No: 36 The compost prepared as per the approved technology shall be handed over to the Client. Arrangement for stacking as per SOP of finished products shall be made by the bidder until the Client takes the compost out of the processing plant.	This query was previously raised in Call 1 and is being resubmitted in Call 2 for your kind consideration. The compost produced will be handed over to the client. Once it is produced and stacked, it shall be the responsibility of BSWML to arrange for its transportation and loading to the designated sites. If the compost is not collected within 30 days, the bidder should be permitted to dispose of it at their discretion.	Tender Conditions prevail.
6	Page No: 38 Detailed Scope of Work: ii. Operation & Maintenance of Existing Vehicles at Doddabidarukallu MSW Processing Plant:	This query was previously raised in Call 1 and is being resubmitted in Call 2 for your kind consideration. Kindly clarify that the cost incurred for repair and servicing activities is not included in the overall project cost. As these expenses are unpredictable, the bidder can undertake such activities only if BSWML provides a clear assurance of reimbursement against valid invoices.	Tender condition prevails. Vehicle fitness and other related documents will be provided to the successful bidders.

Sl. No	Tender Doc Ref	Query Raised	Clarifications /Amendments issued
		Also, please confirm that the vehicle fitness certificates will be provided by BSWML before the commencement of work. Since the bidder is expected to assess the condition of vehicles before bidding, it is not feasible to carry out a thorough technical evaluation within a limited time frame of one or two days. Therefore, we request that you kindly provide a condition/status certificate issued by a competent and authorized agency to enable accurate assessment.	
7	Page No: 40,45 iii. Maintenance of Electrical Equipments at Doddabidarakallu MSW Processing Plant: Maintenance of existing Electrical Equipments at Doddabidarakallu MSW processing plant including cost of all spares, material, machinery, lead, lift, labour etc as per directions of the Engineer in charge of work. v. Operation & Maintenance of Existing Machineries at	This query was previously raised in Call 1 and is being re-submitted in Call 2 for your kind consideration. The tender document indicates that comprehensive repair and maintenance are required for nearly all equipment, machinery, electrical equipment, and CCTVs within the plant. This will significantly escalate the costs to indeterminate levels, which cannot be accurately assessed at this pre-tendering stage. Therefore, we request that such repair and maintenance expenses be reimbursed to the Bidder upon submission of valid invoices and supporting documentation.	Tender condition prevails.

Sl. No	Tender Doc Ref	Query Raised	Clarifications /Amendments issued
	Doddabidarakallu MSW Processing Plant: vii. Operation & Maintenance of CCTV System at Doddabidarukallu i MSW Processing Plant: Providing, Installation, operation and Maintenance of CCTV system along with the existing CCTV system at Doddabidarukallu Plant including all spares for routine and breakdown maintenance as and when required, tools and tackles, lead, lift, labour etc as per directions of the Engineer in charge of work.	Kindly clarify whether the responsibility for repair and replacement costs of the specified equipment lies with the Bidder or BSWML. Since the bidder is expected to assess the condition of machinery/equipment before bidding, it is not feasible to carry out a thorough technical evaluation within a limited time frame of one or two days. Therefore, we request that you to kindly provide a condition/status certificate issued by a competent and authorized agency to enable accurate assessment.	
8	Page No: 46 (ix) Key Performance Indicators The performance of the bidder shall be monitored on monthly basis & the payment shall be released after reviewing the processing quantities parameters, deduction on account of penalties etc. at the discretion of the Client	As per the tender clause, payment to the bidder shall be based on monthly performance parameters, including quantity processed, and may be subject to penalties at the discretion of the Client. However, considering the nature of a waste processing facility, there may be instances where operations are disrupted due to reasons beyond the bidder's control—such as local strikes, interruption in waste supply by BSWML, or natural calamities. In such situations, we request you to kindly consider a provision wherein the payment	Tender condition prevails.

Sl. No	Tender Doc Ref	Query Raised	Clarifications /Amendments issued
		for the affected period is released based on the average of previous billing cycles, without applying penalties, until normal operations resume. We request that you to kindly consider this provision and confirm	
	2. M/s. Om Aparajithe Solid Waste Management LLP.		
9	The bidder/JV should individually/ collectively have satisfactorily completed at least one similar nature of work in Operation and Maintenance of MSW Wet waste processing plants of value not less than Rs. 242.06 lakhs (50% of the estimated cost for one year) in any one year during last five financial years i.e., 2020-21 to 2024-25	In all parts of India there are no specific wet waste processing plants. All plants are of mixed waste where, even wet waste is processed separately. We have successfully executed and completed a project involving the establishment and operation of a Mixed Waste Processing Plant, wherein we managed and processed wet waste with a total project value of 242.06 lakhs. The scope, nature, and scale of this project are closely aligned with the technical and financial eligibility criteria outlined in the tender document. In light of the above, we sincerely request you to kindly consider this project as fulfilling the eligibility requirements. We believe this will encourage fair and healthy competition while ensuring the participation of capable and experienced entities.	Tender Conditions prevail.
10	The bidder / JV should individually/collectively have	In all parts of India there are no specific wet waste processing plants. All plants are of	Tender Conditions prevail.

Sl. No	Tender Doc Ref	Query Raised	Clarifications /Amendments issued
	satisfactorily completed processing of 43800 MT (80% of the estimated waste quantity) quantity of Wet waste in MSW wet waste processing plant in any one year in the last five financial years i.e., 2020-21 to 2024-25 Or The bidder/JV should individually/collectively have supplied minimum manpower of 42 (80% of the estimated man power) of Wet waste in MSW wet waste processing plant in any one year in the last five financial years i.e., 2020-21 to 2024-25	mixed waste where, even wet waste is processed separately. We have successfully executed and completed a project involving the establishment and operation of a Mixed Waste Processing Plant, wherein we managed and processed wet waste of quantity more than 45,000 tons. The scope, nature, and scale of this project are closely aligned with the technical and financial eligibility criteria outlined in the tender document. In light of the above, we sincerely request you to kindly consider this project as fulfilling the eligibility requirements. We believe this will encourage fair and healthy competition while ensuring the participation of capable and experienced entities.	
	3. AV Environment Conservation Care Limited		
11		3.6 we request you to kindly give us the Joint Venture is provided and allow us to enter into the Consortium and Bid for the Project .	Tender Conditions prevail.
	4. Online Queries		

Sl. No	Tender Doc Ref	Query Raised	Clarifications /Amendments issued
12	Page No: 20 DATA SHEET Note 2 If bidder quote tender price below the contract value should pay difference amount in the form of BG Fixed Deposit DD drawn in favor MD BSWML	We request that you kindly clarify whether this difference amount is to be calculated for the entire 24 month contract period If so we request that you kindly consider limiting this requirement to 12 months to reduce the financial burden on the bidder and improve participation	Tender Conditions prevail.
13	Page No: 35 SECTION 5 TERMS OF REFERENCE 3 AN OUTLINE OF THE TASKS TO BE CARRIED OUT The task assigned to the selected bidder is to receive the wet waste at plant process it and dispose the inert as stated in the procedures below	We request clarification regarding the responsibility for the disposal of Inert materials and Reject materials RDF generated from the processing activities Kindly specify who is responsible for their disposal and outline the approved procedure for the same	Tender Conditions prevail.
14	Page No: 35 SECTION 5 TERMS OF REFERENCE 3 AN OUTLINE OF THE TASKS TO BE CARRIED OUT The inward quantity of the waste at processing plant recorded by weigh bridge shall be considered as actual It is to be noted that upto 125 percent of the input quantity incoming as prescribed quantity shall be	This query was previously raised in Call 1 and is being re submitted in Call 2 for your kind consideration BSWML should ensure that since the tender is based on a cost per ton model payments are made accordingly irrespective of any increase or decrease in the actual quantity supplied The bidder is required to deploy the necessary manpower vehicles equipment and other resources to process 150 TPD Therefore if the quantity supplied exceeds 150 TPD payment should be made for the additional quantity as it involves proportionate additional effort	Tender Conditions prevail.

Sl. No	Tender Doc Ref	Query Raised	Clarifications /Amendments issued
	processed by bidder as per accepted rate of proposal If the inward quantity is less than the prescribed quantity of plant the same shall be processed and payment shall be done to selected bidder as per the actual quantity received at plant	Conversely if the quantity supplied falls below the stipulated 150 TPD it remains BSWMLs responsibility to ensure the supply of the committed quantity However since the plant is designed and operated for 150 TPD the bidder should still be compensated for a minimum of 150 TPD regardless of any lesser quantity being supplied This approach has been followed in tenders issued by the Directorate of Municipal Administration Government of Karnataka for Operation and Maintenance projects and we request that the same be adopted here to ensure consistency and accountability across MSWM projects	
15	Page No: 35,36 The leachate generated in the plant shall be transported supplied through existing drain network to the collection sump and same shall be treated in the existing Leachate Treatment Plant LTP to the possible extent and any additional quantity to be transported to designated site using vehicles as specified If farmers are requesting demand for Fermented liquid organic manure FLOM then farmers RTC and request letters to be	Kindly provide the details of the Existing Leachate Treatment Plant Doddabidarukallu like Capacity and technology etc. Since there is a Leachate Treatment Plant LTP available at the project site we request you to kindly specify The designated location where the leachate is to be transported in the absence of farmer demand Who shall be responsible for arranging transportation logistics to the LTP or designated area and If the cost of transportation and handling of leachate is to be borne by the bidder kindly clarify whether the same will be reimbursed by the authority	Tender Conditions prevail.

Sl. No	Tender Doc Ref	Query Raised	Clarifications /Amendments issued
	taken for the records LOM shall be transported scientifically with the approval of competent authority		
16	Page No: 36 The compost prepared as per the approved technology shall be handed over to the Client Arrangement for stacking as per SOP of finished products shall be made by the bidder until the Client takes the compost out of the processing plant	This query was previously raised in Call 1 and is being resubmitted in Call 2 for your kind consideration The compost produced will be handed over to the client Once it is produced and stacked it shall be the responsibility of BSWML to arrange for its transportation and loading to the designated sites If the compost is not collected within 30 days the bidder should be permitted to dispose of it at their discretion	Tender Conditions prevail.

All the bidders are requested to participate in the bidding process and further the bidders are instructed to note the above clarifications/amendments issued.

23/7/23

Chief Engineer &
Chief General Manager (Tech)
BSWML

Copy to:

1. Deputy General Manager -1 BSWML for information and necessary action.
2. Assistant General Manager, BSWML for information and necessary action.
3. Office Copy.